

EcoStar[™] LLC Training Report

Training Location (select one) On-site Training In-shop Training

APPLICATOR

Date: _____ Pending GSA Number: _____

Applicator Company Name

Address

City

State

Zip Code

Primary Contact

Title

Telephone

E-mail Address

Secondary Contact

Title

Telephone

E-mail Address

JOB INFORMATION

Job Name

Job Number

Address

City

State

Zip Code

Building Owner Representative if Present

Title

PROJECT MATERIAL INFORMATION

Deck Type: _____ Thickness: _____

If the original Deck has been Covered Provide the Type and Thickness of the New Deck Surface

Underlayment Type: _____ Brand: _____

Nail Type: _____ Length: _____ Brand: _____

Type of Metal Flashing: _____ Brand: _____

Type of Ridge Vent: _____ Brand: _____

ROOFING SYSTEM

Testing

- Class A Fire Rating (Empire Formula) Class C Fire Rating (Majestic/Seneca/Niagara) Impact Test (Hail Resistance) Class 4

EcoStar Products

- Majestic Slate/Empire Slate Traditional 12" Traditional 10" Beaver Tail Beveled Edge Chisel Point
Niagara Slate 12" Majestic Formula Empire Formula
Niagara Slate 14" Majestic Formula Empire Formula
 Seneca Shake Empire Shake Empire Shake Plus

Color Options

Majestic Slate/Seneca Shake (*Manufactured from 80% Recycled Sources*) – Refer to Majestic/Seneca color swatch

Empire Slate (*Manufactured from 20% Recycled Sources*) - Refer to Empire color swatch

Alternate Color Options

- Cool Colors Marbled Tile Marbled Blends Color Blends

Slope Requirements and Product Exposure

Refer to Quick Estimate Guide.

Wind

- 90 mph – Varied Exposure Adhesive
 110 mph Wind Warranty

Gold Star Warranty

- Pre Project Survey Form Inspection
 Material Requirements Warranty Fee

TRAINING CHECKLIST

Job Procedures

- System Review with Owner – Verify Layout
- Starter Chalk Lines & Start of Layout
- Starter Row and Proper Installation
- Blending Method and Periodic Inspections from the Ground
- Factory Blended Options
- Curved Tiles and Manually Blending for Proper Installation

- Nailing
 - Review Overdriving
 - Proper Positioning
 - Proper Type
 - Proper Length for Product Line

Tile Alignment

- Standard Layout
- Staggered
- Random Width

Cutting

- Use of Straight Edge
- Scoring and Snapping
- Use of Saw
- Scalloped Edge & How to Make

Hip & Ridge Installation

- With Venting
- Without Venting
- Flashing Details & Requirements

Roof Care

- Safety on Wet Surface
- Cleaning
- Cold Weather Procedures
- Installation Temperatures
- Storage

Snow Guards

- Proper Placement
- Retro Fitting Snow Guards

Trainees

| Name | Signature |
|------|-----------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

COMMENTS

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

We have been shown all the key points for installation of the notedRoof system and understand them thoroughly. We agree to continue to install the project per our training and that failure to follow the installation instructions and this training may cause a warranty NOT to be issued upon completion of the product installation. We acknowledge receipt of a copy of the 1) system procedures 2) specifications and the 3) policy sheet concerning applicator certification.

As an authorized representative of EcoStar, I certify that this applicator has been trained in the proper procedures and methods for the installation of the designated system. Based upon this training I recommend this applicator for certification.

Applicator Company Name

Authorized Applicator Signature Date

Technical Representative Signature Date



42 Edgewood Drive ● Holland, NY 14080
Tel: 800-211-7170 ● Fax: 888-780-9870
www.ecostarllc.com