

**The 50-Year Limited Labor & Material Warranty is available ONLY through applicators who have been trained and are authorized as Gold Star Applicators.**

**The following are highlights of the 50-Year Limited Labor & Material Warranty, subject to the terms and limitations therein:**

The 50-Year Limited Labor & Material Warranty is non-prorated for the first 10 years of coverage. After the first 10 years, EcoStar™ will pay a percentage of the reasonable replacement costs as outlined within the warranty. This percentage is derived by dividing the number of months remaining in the warranty period by the number of months in the original warranty period.

The 50-Year Limited Labor & Material Warranty includes your responsibility for the workmanship and labor to install all the EcoStar products.

The 50-Year Limited Labor & Material Warranty includes coverage for any product blow offs caused by winds less than 90 mph for the first ten (10) years of the warranty.

**The following procedure must be followed for issuance of a warranty:**

- STEP 1:** Prior to the start of the project the EcoStar Gold Star Authorized Applicator must complete the **Pre-Project Survey Form**. All information on this form must be completed, including the addition of the roof drawing.
- STEP 2:** **The Pre-Project Survey Form must be returned to the EcoStar Technical Department.** After review and approval, the EcoStar Gold Star Authorized Applicator will be notified of the assigned EcoStar Project Number. Any project that is started before the Pre-Project Survey Form has been approved by the EcoStar Technical Department may not qualify for the EcoStar Limited Labor & Material Warranty.
- STEP 3:** Upon completion of the project it is the responsibility of the EcoStar Gold Star Authorized Applicator to send the Notice of Completion to request a final inspection of the project.
- STEP 4:** A final EcoStar inspection shall be made by an EcoStar Field Service Representative. The EcoStar Technical Department will inform the applicator if there are any deficiencies that will require repair. After remediation, a re-inspection may be scheduled.
- STEP 5:** Upon receipt of the final inspection report, if approved, the EcoStar Technical Department will issue a 50-Year Limited Labor & Material Warranty.



Limited Labor & Material Warranty

Pre-Project Survey Form

[Empty box]

PROJECT NAME
PROJECT ADDRESS
CITY STATE ZIP CODE
NEAREST MAJOR ROAD INTERSECTION
BUILDING OWNER NAME
MAILING ADDRESS
CITY STATE ZIP CODE
CONTACT PERSON TELEPHONE NUMBER

GOLD STAR AUTHORIZED APPLICATOR NAME
ADDRESS
CITY STATE ZIP CODE
TELEPHONE NUMBER FAX NUMBER
CONTACT FOR THIS PROJECT
CELL PHONE NUMBER
E-MAIL ADDRESS
CERTIFIED APPLICATOR REGISTRATION NUMBER

SALES ORDER NUMBER

ECOSTAR SALES REPRESENTATIVE

DISTRIBUTOR CITY STATE

ECOSTAR FASTENERS, UNDERLAYMENTS AND ACCESSORIES MUST BE USED TO QUALIFY FOR AN ECOSTAR GOLD STAR 50-YEAR LIMITED LABOR & MATERIAL WARRANTY.

TYPE OF PROJECT: [ ] New Construction [ ] Re-Roof [ ] Residential [ ] Commercial [ ] Institutional [ ] Historic

PROJECT SIZE (# of squares): BUILDING HEIGHT TO EAVE:

MINIMUM ROOF SLOPE: HIP/RIDGE LINEAL FT:

DECK TYPE & THICKNESS: DECK ASSEMBLY: [ ] Vented [ ] Non-Vented

NOTE: Plank decks other than T&G or ship-lap must be sheeted with plywood or OSB

REQUESTED WIND SPEED: [ ] 90 mph [ ] 110 mph ROOF ASSEMBLY FIRE RATING: [ ] Class A [ ] Class C

All information on this form must be completed and submitted to EcoStar prior to the start of the project. This form can be emailed to WarrantyCoordinator@ecostarllc.com or mailed to EcoStar Technical & Warranty Services, 42 Edgewood Drive, Holland, NY 14080. Failure to complete any required information or to submit this application prior to the start of the project may cause the EcoStar Gold Star Limited Labor & Material Warranty to be denied.

OFFICE USE ONLY
APPROVED DATE

### Slate

#### Empire Formula Class C and Class A Fire Rated Tiles:

**Empire Slate:**  12" Traditional  10" Traditional  Beaver Tail  Beveled Edge  Chisel Point\*  Random-Width

Fire Rating:  Class A  Class C

Exposure: Slope less than 4/12:  6" Exposure

Slope 4/12 to less than 6/12:  6" Exposure  7" Exposure

Slope 6/12 or greater:  6" Exposure  7" Exposure  8" Exposure\*\*

\* Chisel Point Requires 6" Exposure Only  
\*\* 8" Exposure for Traditional Tiles Only

**Empire Niagara Slate:**  14" Niagara  12" Niagara  10" Niagara  Niagara Random-Width

Fire Rating:  Class A  Class C

Exposure: Slope less than 6/12:  9" Exposure

Slope 6/12 or greater:  9" Exposure  10" Exposure

#### COLOR PERCENTAGE:

<input type="checkbox"/>	BEDFORD BLACK	<input type="checkbox"/>	MANHATTAN MIDNIGHT	<input type="checkbox"/>	FREEPORT FEDERAL	<input type="checkbox"/>	MARBLED VINEYARD	<input type="checkbox"/>	COOL SMOKE
<input type="checkbox"/>	SARANAC SMOKE	<input type="checkbox"/>	FAIRPORT FERN	<input type="checkbox"/>	HAMPTON HARBOUR	<input type="checkbox"/>	MARBLED ROLLING MEADOWS	<input type="checkbox"/>	COOL SARATOGA SUNSET
<input type="checkbox"/>	PLYMOUTH PATINA	<input type="checkbox"/>	TIOGA TERRA COTTA	<input type="checkbox"/>	MONTICELLO MERLOT	<input type="checkbox"/>	MARBLED RIVERBED	<input type="checkbox"/>	COOL SEA SALT
<input type="checkbox"/>	GENEVA GROVE	<input type="checkbox"/>	AUBURN ACORN	<input type="checkbox"/>	MARBLED HARVEST HILL	<input type="checkbox"/>	MARBLED ANCIENT QUARRY	<input type="checkbox"/>	COOL DRIFTING DUNES

CUSTOM COLOR(S): \_\_\_\_\_

#### Majestic Formula Class C ONLY Fire Rated Tiles:

**Majestic Slate:**  12" Traditional  10" Traditional  Beaver Tail  Beveled Edge  Chisel Point\*  Random-Width

Exposure: Slope less than 6/12:  6" Exposure

Slope 6/12 or greater:  6" Exposure  7" Exposure

\* Chisel Point Requires 6" Exposure Only

**Majestic Niagara Slate:**  14" Niagara  12" Niagara  10" Niagara  Niagara Random-Width

Exposure: Slope less than 6/12:  9" Exposure

Slope 6/12 or greater:  9" Exposure  10" Exposure

#### COLOR PERCENTAGE:

<input type="checkbox"/>	BLACK	<input type="checkbox"/>	MIDNIGHT GRAY	<input type="checkbox"/>	FEDERAL GRAY	<input type="checkbox"/>	SMOKE GRAY	<input type="checkbox"/>	SAGE GREEN
<input type="checkbox"/>	MOUNTAIN PLUM	<input type="checkbox"/>	EARTH GREEN	<input type="checkbox"/>	STONE RED	<input type="checkbox"/>	CEDAR BROWN	<input type="checkbox"/>	DRIFTWOOD
<input type="checkbox"/>	CHESTNUT BROWN	<input type="checkbox"/>	TERRA COTTA	CUSTOM COLOR(S): _____					

## Shake

### Empire Formula Class C and Class A Fire Rated Tiles:

**Empire Shake:**      
 **Empire Shake Plus:**      
 **Aspen Blend:**

**Fire Rating:**  Class A       Class C

**Exposure:**      Slope less than 4/12:  7" Exposure

                         Slope 4/12 to less than 6/12:  7" Exposure       8" Exposure

                         Slope 6/12 or greater:  7" Exposure       8" Exposure       9" Exposure

### Empire Niagara Shake:

**Fire Rating:**  Class A       Class C

**Exposure:**      Slope less than 6/12:  9" Exposure

                         Slope 6/12 or greater:  9" Exposure       10" Exposure

### COLOR PERCENTAGE:

<input type="checkbox"/>	BEDFORD BLACK	<input type="checkbox"/>	MANHATTAN MIDNIGHT	<input type="checkbox"/>	FREEPORT FEDERAL	<input type="checkbox"/>	SARANAC SMOKE	<input type="checkbox"/>	GENEVA GROVE
<input type="checkbox"/>	PLYMOUTH PATINA	<input type="checkbox"/>	FAIRPORT FERN	<input type="checkbox"/>	HAMPTON HARBOUR	<input type="checkbox"/>	AUBURN ACORN	<input type="checkbox"/>	MONTICELLO MERLOT
<input type="checkbox"/>	TIOGA TERRA COTTA	<input type="checkbox"/>	COOL SMOKE	<input type="checkbox"/>	COOL SEA SALT	<input type="checkbox"/>	COOL DRIFTING DUNES	<input type="checkbox"/>	COOL SARATOGA SUNSET
<input type="checkbox"/>	FEATHERED DRIFTWOOD	<input type="checkbox"/>	FRESH CUT CEDAR	CUSTOM COLOR(S): _____					

### Seneca/Majestic Formula Class C ONLY Fire Rated Tiles:

### Seneca Shake:

**Exposure:**      Slope less than 6/12:  7" Exposure

                         Slope 6/12 or greater:  7" Exposure       8" Exposure

### Majestic Niagara Shake:

**Exposure:**      Slope less than 6/12:  9" Exposure

                         Slope 6/12 or greater:  9" Exposure       10" Exposure

### COLOR PERCENTAGE:

<input type="checkbox"/>	BLACK	<input type="checkbox"/>	MIDNIGHT GRAY	<input type="checkbox"/>	FEDERAL GRAY	<input type="checkbox"/>	SMOKE GRAY	<input type="checkbox"/>	SAGE GREEN
<input type="checkbox"/>	MOUNTAIN PLUM	<input type="checkbox"/>	EARTH GREEN	<input type="checkbox"/>	STONE RED	<input type="checkbox"/>	CEDAR BROWN	<input type="checkbox"/>	DRIFTWOOD
<input type="checkbox"/>	CHESTNUT BROWN	<input type="checkbox"/>	TERRA COTTA	CUSTOM COLOR(S): _____					

## Concrete

### Empire Formula Class C and Class A Fire Rated Tiles:

**Empire Niagara Concrete:**  12" Niagara Concrete

Fire Rating:  Class A  Class C

Exposure: Slope less than 6/12:  9" Exposure

Slope 6/12 or greater:  9" Exposure  10" Exposure

#### COLOR PERCENTAGE:

<input type="checkbox"/>	BEDFORD BLACK	<input type="checkbox"/>	MANHATTAN MIDNIGHT	<input type="checkbox"/>	FREEPORT FEDERAL	<input type="checkbox"/>	MARBLED VINEYARD	<input type="checkbox"/>	COOL SMOKE
<input type="checkbox"/>	SARANAC SMOKE	<input type="checkbox"/>	FAIRPORT FERN	<input type="checkbox"/>	HAMPTON HARBOUR	<input type="checkbox"/>	MARBLED ROLLING MEADOWS	<input type="checkbox"/>	COOL SARATOGA SUNSET
<input type="checkbox"/>	PLYMOUTH PATINA	<input type="checkbox"/>	TIOGA TERRA COTTA	<input type="checkbox"/>	MONTICELLO MERLOT	<input type="checkbox"/>	MARBLED RIVERBED	<input type="checkbox"/>	COOL SEA SALT
<input type="checkbox"/>	GENEVA GROVE	<input type="checkbox"/>	AUBURN ACORN	<input type="checkbox"/>	MARBLED HARVEST HILL	<input type="checkbox"/>	MARBLED ANCIENT QUARRY	<input type="checkbox"/>	COOL DRIFTING DUNES

CUSTOM COLOR(S): \_\_\_\_\_

### Majestic Formula Class C ONLY Fire Rated Tiles:

**Majestic Niagara Concrete:**  12" Niagara Concrete

Exposure: Slope less than 6/12:  9" Exposure

Slope 6/12 or greater:  9" Exposure  10" Exposure

#### COLOR PERCENTAGE:

<input type="checkbox"/>	BLACK	<input type="checkbox"/>	MIDNIGHT GRAY	<input type="checkbox"/>	FEDERAL GRAY	<input type="checkbox"/>	SMOKE GRAY	<input type="checkbox"/>	EARTH GREEN
<input type="checkbox"/>	SAGE GREEN	<input type="checkbox"/>	MOUNTAIN PLUM	<input type="checkbox"/>	STONE RED	<input type="checkbox"/>	CEDAR BROWN	<input type="checkbox"/>	DRIFTWOOD
<input type="checkbox"/>	CHESTNUT BROWN	<input type="checkbox"/>	TERRA COTTA						

CUSTOM COLOR(S): \_\_\_\_\_

### Accessories

- Glacier Guard 100
- Glacier Guard 300 HT
- Aqua Guard
- Roof Jack Aesthetic Repair Kit
- EcoStar Approved Class A Fire-Rated Underlayment:
  - GAF VersaShield
  - MB Technology Tu43
  - GA-Pacific, LLC DensDeck\*

*\*Fire barrier only - requires layer of Aqua Guard*

#### EcoStar Stainless Steel Rink Shank Fasteners (Required on all EcoStar Warranties):

- Majestic and Empire Slate Field Tiles:  1 1/2" Coil or Hand Drive
- Seneca and Empire Shake Field Tiles:  1 1/2" Coil or Hand Drive
- All Niagara Slate, Shake and Concrete Field Tiles:  1 3/4" Coil or Hand Drive
- Hip and Unvented Ridges (except Niagara Slate, Shake and Concrete):  2" Hand Drive
- Vented Ridges and all Niagara Slate, Shake or Concrete Hip & Ridge Installations:  2 1/2" Hand Drive

Projects that require 110 mph Wind Speed Warranty must be installed using 4 nails per tile:

- 90 mph Wind Warranty, 2 nails per tile
- 110 mph Wind Warranty, 4 nails per tile

Upon receipt of this form and approval of the project, a project number will be assigned. Upon completion of the project, notify the EcoStar Technical Department and request a final inspection. After successful completion of the final inspection, the warranty will be issued. If all requirements are not met at time of inspection, repairs may be required prior to the issue of the warranty.

**AS AN ECOSTAR GOLD STAR AUTHORIZED APPLICATOR, WE UNDERSTAND ALL REQUIREMENTS OF ECOSTAR'S INSTALLATION GUIDE AND SPECIFICATIONS AND AGREE TO INSTALL ALL ECOSTAR PRODUCTS ON THIS PROJECT PER THOSE INSTALLATION INSTRUCTIONS AND SPECIFICATIONS AND PER THE INFORMATION PROVIDED HEREIN.**

APPLICATOR'S SIGNATURE

PRINT

DATE

